



Test  
TS EN ISO/IEC 17025  
AB-0342-T

AB-0342-T

144424367

09/25

**TÜV Rheinland**  
**Uluslararası Standartlar Sertifikasyon ve Denetim A.Ş.**  
Saniye Ermutlu Sokak Çolakoğlu Plaza B Blok No :12 Kozyatağı-İSTANBUL

Page 1 of 4

## Test Report

### YAPITAŞ YAPI SANAYİ VE TİCARET A.Ş.

Vadistanbul Bulvar 2A Blok, No:31, İç Kapı No:32, Ayazağa Mahallesi, Azerbaijan Caddesi,  
Sarıyer/İstanbul, İstanbul, Türkiye

**Report No.** 144424367  
**Buyer** /  
**Test Item. :** PFA Insulated Cable  
**Item No. :** 1  
**Manufacturer :** /  
**Colour Name. :** /  
**Test Scope :** Customer selected parameters.  
**Test Specification :** Test results have been evaluated acc. to Reach EU + Switzerland requirements.

**Applicant's Provided  
Care Instruction/Label:** -

**Sample Receiving date:** 2025-09-19 pm

**Testing Period:** 2025-09-22 to 2025-09-25

**Report Date:** 2025-09-26

**Test Result:** Pass

TÜV Rheinland Uluslararası Standartlar Sertifikasyon ve Denetim A.Ş. accredited by TÜRKAK under registration number AB-0342-T for ISO/IEC 17025-2017 as test laboratory

The Turkish Accreditation Agency (TÜRKAK) is signatory to the multilateral agreements of the European co-operation for the Accreditation (EA) and of the International Laboratory Accreditation (ILAC) for the Mutual recognition of the test reports.

The test and/or measurement results, the uncertainties (if applicable) with confidence probability and test methods are given on the following pages which are part of this report

**For and on behalf of**  
**TÜV Rheinland Uluslararası Standartlar Sertifikasyon ve Denetim A.Ş.**

Nalan Aslantas / CR Assistant  
Manager & Project Manager

Kivanc Karatas / Chemical  
Laboratory Manager

**TÜV Rheinland Uluslararası Standartlar Sertifikasyon ve Denetim A.Ş.**

Kozyatagi Mah. Saniye Ermutlu Sok. No:12  
Colakoglu Plaza B Blok 34742 Kadikoy Istanbul,  
Tel. +902166653200, Fax +902166653299, e-mail: info@tr.tuv.com

The results given in this report belong to the received sample by vendor.

This test report shall not be reproduced other than in full except with the permission of the laboratory. Testing reports without signature and seal are not valid.

This test report is signed by digital signature.

TÜV Rheinland testing laboratories apply the Zero Guard band rule for statement of conformity evaluation, unless other decision rule is required by the customer.

|           |
|-----------|
| AB-0342-T |
| 144424367 |
| 09/25     |

## Test Result Summary :

***Test Specification:***

1 Per-and polyfluoroalkyl substances(PFAS)

***Test result:***

PASS

|           |
|-----------|
| AB-0342-T |
| 144424367 |
| 09/25     |

## 1. Photo



## 2. List of Materials

### Material List:

| Material No. | Material | Color | Location            |
|--------------|----------|-------|---------------------|
| M001         | Plastic  | White | PFA Insulated Cable |

|           |
|-----------|
| AB-0342-T |
| 144424367 |
| 09/25     |

**1.Per-and polyfluoroalkyl substances(PFAS)**

Test Method: Reference to EN 17681-1:2025 or EN ISO 23702-1:2023, determination by CI-GCMS, GC-MSMS and LC-MSMS.

**Test Result:**

| Test No.                                |           |       |      |                        | T001   |
|-----------------------------------------|-----------|-------|------|------------------------|--------|
| Material No.                            |           |       |      |                        | M001   |
| Test Parameter                          | CAS NO    | Unit  | RL   | Customer's requirement | Result |
| Perfluorooctanesulfonic acid (PFOS)     | 1763-23-1 | mg/kg | 0.01 | 1                      | n.d.   |
| Perfluorooctanoic acid (PFOA)           | 335-67-1  | mg/kg | 0.01 | 1                      | n.d.   |
| Perfluorohexane sulfonic acid (PFHxS)   | 355-46-4  | mg/kg | 0.01 | 1                      | n.d.   |
| Perfluorononanoic Acid (PFNA, C9-PFCA)  | 375-95-1  | mg/kg | 0.01 | 1                      | n.d.   |
| Perfluorodecanoic Acid (PFDA, C10-PFCA) | 335-76-2  | mg/kg | 0.01 | 1                      | n.d.   |
| Perfluorobutanesulfonic Acid (PFBS)     | 375-73-5  | mg/kg | 0.01 | 1                      | n.d.   |
| Conclusion                              |           |       |      |                        | Pass   |

**Abbreviation:** < = Less than  
RL = Reporting Limit  
mg/kg = milligram per kilogram

- END -